

Item #**Description****Bulk Storage & Feed Systems**

- 1 (4) Schuld Model 45-40, Carbon Steel Silos, S/N 14415-4; S/N 14415-3; S/N 14415-2; and S/N 14415-1; 10' x 29'7", Cone Shaped Bottom; Each w/ Premier Model 12" Aluminum Slide Gate, w/ Top-Mounted Vacuum Units, Maximum Internal Pressure 2.0 OSI, Maximum Internal Vacuum 0.5 OSI, Fair Condition

- 2 Aluminum Bulk Storage Silo, 12' x 55' w/ Conair Model 10877102 Bulk Loading System, S/N 9-2299; w/ 15-HP Vacuum Pump, Fair Condition

- 3 (2) Imperial Calumet Model 54-35-12, Carbon Steel Bulk Storage Silos, S/N 3362-2 & 3362-1, 12' x 54', 6,372' Cap., Each w/ Pressure Aluminum Slide Gate, Fair Condition

- 4 Bulk Storage System To Include: (3) Surge Bins, Una-Dyn Vacuum Loaders, Una-Dyn Model Power Pak Vacuum Pump, S/N 133084.01-0495, 15-HP, Una-Dyn 20" Floor Filter, Omni III Loader Control, S/N LC-OMIII88152, # 5, 6, 7, Good Condition

- 5 Railcar Vacuum System To Include: Una-Dyn Model Power Pak Vacuum Pump, S/N 23-10 HP88731, 10-HP, Una-Dyn 20" Floor Filter, S/N FF-2088-12, Loader Control, Fair Condition

- 6 National Bulk Equipment Storage System To Include: (4) Surge Bins, Una-Dyn Model 821 PLC Vacuum Loader, S/N 191560.01/100, Una-Dyn Model Power Pak Vacuum Pump, S/N 13887.01-0295, 5-HP, Una-Dyn Floor Filter, S/N 13887-03-0395, (Smaller Units, Mounted at Machine Shop Wall), Good Condition

Production Area

- 7 1995 Cincinnati Milacron Model VT-1500-362, 1,500-Ton x 362-Oz Toggle Type Injection Molding Machine, S/N T68A0195001, w/ 700mm Barrel, S/N 95-1054, 5.512" Feed Screw Dia., 83" x103.5" Platen Size, 72" x 52" Tie Bar Spacing, w/ Load Platform, Una-Dyn (Universal Dynamics) Vacuum Hopper, Including Twin Color & Hopper Auger Feeds, Color & Regrind Hopper, Camac CNC Controls, (Note - 2010 Wiring Upgrade), 87,860-Hours, Good Condition

Item #	Description
8	1995 UBE Model PZ11 Series 1000 US (180B), 1,000-Ton x 185-Oz Toggle-Type Injection Molding Machine, S/N 27321 (#0311), Midaas CNC Controls, 4.4" Screw Dia., 66.93" x 66.93" Platen Size, 50" x 50" Tie Bar Spacing, 55.11" Clamp Stroke, w/ Una-Dyn Stainless Steel Spiral Vacuum Hopper, Including Twin Color Hoppers, Osco Hydraulic Pump (For Hydraulic Die:, S/N MHC4002, 15 AMP, Good Condition
9	1994 MIR Model HMP 1050 6200, 1,134-Ton x 268-Oz. Injection Molding Machine, S/N 8851, 100-HP; 5.5" Screw Diameter, 75.19" x 87.32" Platen Size, 64.96" Clamp Stroke, 450mm Minimum Mold Thickness, 1,550mm Maximum Mold Thickness; Una-Dyn Vacuum Hopper, including Twin Color Feeder Hoppers; and CNC Controls, Updated Parts, Fair Condition (<i>Note: 2010 rebuild</i>)
10	2001 Ferromatik Milacron Model MM 725-140, 725-Ton x 140-Oz. Injection Molding Machine, S/N H44A0100006, 100-HP; 5.51" Screw Diameter, 55.51" Platen Size, 42"-52" Tie Bar Spacing, 71.85" Clamp Stroke, 9.84" Ejector Stroke; w/ Vacuum Hopper Loader w/ SGL Feeder; and Milacron Xtreme NT CNC Control, 48,000-Hours, Good Condition
11	1995 Toshiba Model ISGT720, 720-Ton x 183-Oz. Injection Molding Machine, S/N 509208, 4.72" Screw Diameter, 55.1" x 55.1" Platen Size, 27.8" x 37.3" Tie Bar Spacing, 7.8" Ejector Stroke; with Una-Dyn Vacuum Hopper, Including; 10-HP Hydraulic Pump; and Injectvisor V-10 CNC Controls, Good Condition
12	1983 Cincinnati Milacron Model 375-32 E/P, 375-Ton x 32-Oz. Hydraulic Injection Molding Machine, S/N 4083A21/83-16; 50/20-HP; Hydraulic, 2.75" Feed Screw Die, 10" Injection Stroke, 20,000 PSI Injection Pressure, 47" x 47" Platen Size, 34.25" x 34.25" Tie Bar Spacing, 32" Clamp Stroke, 6" Ejector Stroke; w/ Una-Dyn Vacuum Hopper Loader, Including Additive Feeder; Manual Push-Button Controls, Fair Condition
13	1986 Toshiba Model ISE-610-54B, 610-Ton x 125 Oz. Injection Molding Machine, S/N 822636/623709, 30-HP; Hydraulic, 3.93" Screw Diameter, 48.4" x 48.4" Platen Size, 33.9" x 33.9" Tie Bar Spacing, 47.2" Clamp Stroke, 6.3" Ejector Stroke; w/ Una-Dyn Vacuum Loader Hopper, Including Additive Feeder; and Provisor PLC Controls, Fair Condition

Item #	Description
14	1995 Cincinnati Milacron Model VH-725-140, 725-Ton x 140-Oz. Injection Molding Machine, S/N H07A0194C4(95-014), 100-HP; 4.33" Screw Diameter, 110mm Feed Screw Diameter, 440mm Injection Stroke, 17.32" Barrel, 55.1" x 55.1" Platen Size, 37.4" x 37.4" Tie Bar Spacing, 52" Clamp Stroke; w/ Una-Dyn Vacuum Loader Hopper, Including Additive Feeder; Camac Model 486 CNC Controls, 54,819-Hours, Good Condition
15	1986 Toshiba Model ISE 720-54B, 720- Ton x 125-Oz. Injection Molding Machine, S/N 812767/614909, 60/60-HP; 3.93"Screw Diameter. 55.1" x 55.1" Platen Size, 37.4" x 37.4" Tie Bar Spacing, 53.1" Clamp Stroke, 7.1" Ejector Stroke; and Provisor PLC Control, Fair Condition
16	1988 Toshiba Model ISE 610-540, 610-Ton x 1,215-Oz. Injection Molding Machine, S/N 832656/735612; 60/30-HP; 3.93"Screw Diameter, 48.4" x 48.4" Platen Size, 33.9" x 33.9" Tie Bar Spacing, 47.2" Clamp Stroke, 6.3" Ejector Stroke; w/ Una-Dyn Vacuum Hopper & Riverdale Color Blender; and Injectvisor 300 CNC Controls, Fair Condition
17	1996 Engel Model 7000/750/AH, 750-Ton x 132-Oz. Injection Molding Machine, S/N 0259/750/96; 4.13" Screw Diameter, 59.06" x 59.06" Platen Size, 40.35" x 36.42" Tie Bar Spacing, 35.43" Clamp Stroke, 9.84" Ejector Stroke; Una-Dyn Vacuum Loader Hopper, Including AEC Whitlock Actuator Additive Feeder; and Engel Model CC90 CNC Control, 41,000-Hours, Good Condition
18	1991 Cincinnati Milacron Model VH500-68, 500-Ton x 68-Oz. Injection Molding Machine, S/N 3905A21/91-3; 3.54" Screw Diameter, 48" x 48" Platen Size, 34.3" x 34.3" Tie Bar Spacing; w/ Vacuum Loader, Including Additive Feeder Blender; and Camac VLC CNC Control, 98,300-Hours, Fair Condition
19	1996 Engel Model 10000/990, 990-Ton x 205-Oz. Toggle-Type Injection Molding Machine, S/N 0367/990/96; 4.76" Screw Diameter, 83.23" x 68.50" Platen Size, 60" x 45.27" Tie Bar Spacing, 39.37" Clamp Stroke, 11.81" Ejector Stroke; Una-Dyn Vacuum Loader Hopper; AEC Accumeter Additive Feeder, Including AEC Whitlock Feed Control; and Engel Model CC90 CNC Controls, 37,921-Hours, Good Condition

Item #	Description
20	1996 Engel Model ES2000/400/AH, 400-Ton x 50.6-Oz. Toggle-Type Injection Molding Machine, S/N 7290/400/96; 3.15" Screw Diameter, 43.78" Platen Size, 30"x 30" Tie Bar Spacing, 27.56" Clamp Stroke, 9.45" Ejector Stroke; w/ Una-Dyn Vacuum Loader Hopper, Including Whitlock Accumeter Additive Feeder; and Engel Model CC90 CNC Control, Fair Condition
21	1983 Cincinnati Milacron Model 375-32 E/P, 375-Ton x 32-Oz. Injection Molding Machine, S/N 4083A21/83-11; 3.25" Screw Diameter, 34.25" x 34.25" Platen Size, 32" Clamp Stroke, 6" Ejector Stroke, 2.76" Feed Screw Diameter, 10" Injection Stroke, 20,000 PSI Injection Pressure; w/ Conveyor Model Labotek Vacuum Loader; and Solenoid Solid State Controls
22	1987 Nissei Model FS260S71ASE, 260-Ton x 29.97-Oz. Injection Molding Machine, S/N S26G022; 2.79" Screw Diameter, 35.62" x 35.62" Platen Size, 24.21" x 24.21" Tie Bar Spacing, 23.62" Clamp Stroke; Nissei Model NC-8000F NC Control, Fair Condition
23	1987 Nissei Model FS260S71ASE, 260-Ton x 27.97-Oz. Injection Molding Machine, S/N S26G028; 2.79" Screw Diameter, 35.62" x 35.62" Platen Size, 24.21" x 24.21" Tie Bar Spacing, 23.62" Clamp Stroke, 5.11" Ejector Stroke; and Nissei Model NC8000F NC Control, Fair Condition
24	Star Seiki Model TW-1800 BM Robot, S/N T18B-0197, w/ Stec Model 400M CNC Controls, On Cinci 1500 Ton
25	Star Automation Model TW-1700BM, CNC Robot, S/N T15B-093B (SO # 3521.01), Including Stec Model 400M CNC Control, Fair Condition On UBE
26	Star Automation Model MHY-1800 FMIII-3, Robot, S/N T18F-0416, including Stec Model 450 Control, Fair Condition On MIR
27	Star Automation Model MHY-1800 FM III-3, S/N T1BF-0453 including Stec Model 450 Control, S/N 00050285, Fair Condition On Cinci 725 Ton
28	Star Automation Model TW-1500FM-3, 3-Axis Robot, S/N 15FX25-0023, Including Stec Model 411 Control, Good Condition On Toshiba 720 Ton

Item #	Description
29	Star Automation Model TW-1800 FM-3, 3-Axis Robot, S/N 97090023, with Stec Model 411 Control, Fair Condition
30	Star Automation Model TW-1500ER, 3-Axis Robot, S/N 9407-0470, with Stec Model 31S Control, Fair Condition
31	1996 Engel Model ERC 73/1 ST-3, 3- Axis Robot, S/N 7593/96, w/ Machine, Fair Condition
32	1996 Engel Model ERC 73/1STC Robot, S/N 7368/073/98, w/ Machine, Fair Condition
33	Harmo Model HM-900S, Sprue Picker, S/N 3771, Fair Condition
34	AEC Sprue Picker, Model & S/N N/A, Fair Condition
35	Aquatherm Thermalcare Model RA245004, Temperature Controller, S/N 4606002961, 12kW
36	(2) Application Engineering Model TDW-IME, Portable Temperature Controllers, S/N 88E061 & 88E065
37	1999 Advantage Engineering Model Sentra 2000 HE SK1090-21CIX, Temperature Controller, S/N 49116, 30°-250° Temperature
38	AEC Model TWD-IME, Temperature Controller, S/N 88E064
39	AEC Model TDV-1NX, Temperature Controller, S/N 9585618, 32 Amp, 9 kW, 45"-180°F
40	Lot Of Hot Runner Controls Including: (2) DME Model MFP-5-G, 4-Zone Hot Runners, DME 11-Zone Hot Runner, Athena Model MF-12CV, 4- Module Hot Runner Control, (2) Athena 8-Module Hot Runner Control, Athena 9-Module Hot Runner Control, DME Model MFP12 7-ModuleHot Runner Controller, (4) Athena 12-Zone Hot Runner Control
41	1983 Advantage Engineering Model TS-925, Temperature Controller, S/N 7385, 30 Amp, 30°-250°F

Item #	Description
42	Advantage Sentra 2000 LE, Temperature Controller, S/N 75850
43	Miscellaneous Conveyors Including: EMI Corp. Model RM 36-10-40, 48" x 10" Roll-Away Powered Belt Conveyor, EMI Model 48-10-40, Powered Belt Conveyor, EMI Model 48-10-40, Powered Belt Conveyor, EMI Model RM 42-10-40, 48" x 10" Roll-Away Powered Conveyor, S/N M8684, (2) EMI Corporation Model KK-30-5-5-70-45, Inclined Powered Conveyors, S/N's 7055 & N/A
44	Maguire 4-Color Blending System w/ (4) Hoppers, Model WSB-240, Weigh Scale Blender, and Model Clear-VU Controller, Good Condition
45	Maguire Blending System, Clear-VU Vacuum Feed, Including Weigh Scale Blender, and Twin Blending Hoppers, Good Condition
47	1986 Wor-Tex Model JC-10, 10" x 10" Granulator, S/N 2367; Portable, 1/4" Screen Holes, Blade Size 3-9, Fair Condition
48	Nelmor Granulator, S/N N/A, Fair Condition
49	Ramco Model 1012, 10" x 12" Granulator, S/N H207435, 10-HP; Portable, (Not In Service, Storage), Fair Condition
50	Nelmor Model G1220MI, 12" x 20" Granulator, S/N 067269, 20-HP, Portable, Fair Condition
51	Polymer Systems Model 1120, 11" x 20" Granulator, 1120 SPL 4799/97, 25-HP, Portable, Fair Condition
52	Wor-Tex Model JC-10, 15" x 10" Granulator, S/N 2861, 10-HP; Portable, 5/16" Screen Holes, Blade Size 3-9, Fair Condition
53	Polymer Systems Model 1116 SPL, 10" x 16" Granulator, S/N 1116 SPL 3124/92, 15-HP, Portable, w/ Side Chute Feed, Fair Condition
54	Rapid 12" x 24" Granulator, 15-HP, Portable, w/ Side Chute Feed, (Not In Service, Storage), Fair Condition

Item #	Description
55	(4) 1989 Rapid Model 912-C, Granulators, Approximately 5-HP, S/N's 30.4934, 30.5070, 30.4929, 30.4939, Fair Condition
56	1984 Wor-Tex Model XL-20, 14" x 20" Granulator, S/N H1895, 20-HP; 3/8" Screen Holes, 6" Blower, Blade Size 2-6; w/ Blower and Re grind Hopper, Fair Condition
57	Beloit Model M200WT, 12" x 12" Granulator, S/N 74-6171-200 WT, 5-HP, Portable, Fair Condition, Fair Condition
58	Nelmor Model G1012 MI, 10" x 12" Granulator, S/N 881027969-1, 10-HP, Portable, Top Load, Fair Condition
59	Nelmor Model G1012PI, 10" x 12" Granulator, S/N 930633065, 10-HP, Good Condition
60	A&B Granulator, w/ Vacuum System Blower and Re grind Hopper, Approximately 24" x 36", Fair Condition
61	(2) Polymer Model 912 SPL POLY, 9" x 12" Anglecut Granulators, S/N 912186785 and S/N 9125PL18578, 7-1/2-HP, Portable, Fair Condition
62	Granulator, Make, Model, S/N N/A, Fair Condition
63	Wild Wostekan Granulator, Make, Model, S/N N/A, Fair Condition, Fair Condition
64	Nissui Cutter, Model & S/N N/A, Fair Condition
65	Nissui Granulator, 5-HP; Portable, In Storage, Fair Condition
66	Kensol Model 165, Hot Stamping Press, S/N N/A, Fair Condition
67	AEC Portable Dehumidifying Dryer, Fair Condition
68	Una-Dyn Model GS-55, Dehumidifying Hopper Dryer, S/N 249595, w/ Cincinnati Milacron Hopper) Good Condition

Item #	Description
69	Conair Franklin Model D04A4000300130, Dryer; w/ CD400 PLC Controller; Model 1805390800 Dry Hopper, S/N 9D2717 and Filter, Good Condition
70	3M-Matic Model 18600, Case Sealing System, S/N 5240, Good Condition
71	3M-Matic Model 19300, Case Sealing System, S/N 5023, Good Condition
72	Dayton 17" Drill Press, S/N N/A, w/ Custom Mold Rack, Fair Condition
73	Branson Model 200DIW, Ultrasonic Welder, S/N WLA07085169, Very Good Condition
74	Linear Dynamics Heated Stamping Press, Model, S/N N/A, Fair Condition
75	Conair Model N/A, Dryer S/N N/A, Fair Condition
76	AEC Whitlock Model N/A, Vacuum Dryer, S/N N/A, Fair Condition
77	1988 Matsui Model DMZ-80, Dryer, S/N 00067, 2.4 kW w/ Hopper, Fair Condition
78	Nitrojection Model NPO-DLX-04-LP, Nitrogen Gas Assisted System; w/ Allen-Bradley Model 900 Control, Fair Condition
79	Matsui Model DMZ-170, Dryer, S/N N/A, w/ Hopper, Fair Condition
80	Franklin Model 8200, 12" x 18" Hot Roll Leaf Type Foil Stamping Press, S/N 19521; Electrically Heated, 4-Zone, 1,500 Watt; w/ Palm- Button Controls, Fair Condition
81	1999 Incoe Portable Hydraulic Pump, S/N A1626, 1,000-PSI, Fair Condition
82	Specially Manufactured Flat Type Foil Stamper; 8" x 12"; w/ Rockwell Drill Press Base; Timer; and Dual Palm-Button Controls, Fair Condition
83	Branson Model 8400, Ultrasonic Welder, S/N WT3/2215

Item #	Description
84	Miscellaneous Equipment In Storage To Include But Not Limited To: AEC Model TDW-1ME Temperature Controllers, Advantage Engineering Model 5-925-2ICI, Sentra Temperature Controller, Sterl-Tronic Model S6422A, Temperature Controller, Advantage Engineering Model Sentra 2000 LE, Temperature Controller, Mokon Model Portable Temperature Controller, Mokon Pumps,
85	Custom Paint Spray Booth, w/ Parts Holder, S/N N/A, Fair Condition
86	Miscellaneous Production Support Equipment Including But Not Limited To: Ventilation System, Portable Man Lift Cage, w/ Fork Pockets, Gorbel 3,000-Lb. Jib Crane, 9' w/ Harrington 2-Ton Chain Hoist and 6,000-Lb., 4- Structural I-Beam Shelf Sections, 120" x 38" x 158", 2- Basnik Mold HDWE Multi-Shelf Carts, 2- Craftsman Portable Tool Cabinets, Lapeyre Rolling Step Ladder, Kennedy Portable Tool Cabinet, Garber Model 574 Electronic Scale; 50 Lb. Capacity, 7- Assorted Height Step Ladders, Better Pak Model 5556 Electric Tape Gun, Imported Hydraulic Pallet Jack, 3- 30" Pedestal Floor Fans, Rol-Lift Hydraulic Pallet Jack, Crown Hydraulic Pallet Jack; Reddy Torpedo Heater; Rolling Stock Ladders, Pallet Jacks; General Electric Model EC-50 Digital Counting Scale; (17) Roller Conveyors, 10-Section; Budgit 1/2-Ton Cap. Chain Lift Hoist, (8) National Bulk Equipment Model Mobile Stor Hoppers, (3) National Bulk Equipment Hoppers, Conair Portable Dryer Hopper, Blast Cabinet
	<p data-bbox="240 1398 586 1434"><u>Packaging Equipment</u></p>
87	Lantech Model Q-Series 300, Semi Automatic Pallet Wrapper, S/NQ2860; 60" Rotary Table, 96" Stretch Height; Good Condition
88	Signode Model MLS-SS, Pallet Wrapper, S/N F10622; 60" Rotary Table, 84" Stretch Height, Fair Condition
89	Lantech Model Q-Series 300, Semi Automatic Pallet Wrapper, S/N2472; 84" Rotary Table, 120" Stretch Height, Good Condition
90	Bemistaper Model 101 85, Case Sealers; Each w/ Tension Master II Taping Head

Item #**Description****Mold and Maintenance Shops:**

- | | |
|----|--|
| 91 | 1994 Miller Model Shopmaster 300, 300-Amp AC/DC Arc Welding Power Source, S/N XE637781, 50% Duty Cycle; w/ S-22A Constant Speed Wire Feed; Model HF-251D-1 High-Frequency Arc Starter, S/N KE638331; and Radiator IA Cooling System, S/N KE719754, Fair Condition |
| 92 | Everett Model 14/16, 14" Cut-Off Saw, S/N 581-0; 18° Angle, Good Condition |
| 93 | Cazeneuve Model HB575, Engine Lathe, 21" Swing x 60" Between Centers, S/N14688-GI, Inch and Metric Threading, 25-2,000-RPM; w/ Hydraulic Tracing Attachment; 12" 3-Jaw Chuck; Face Plate and 15" 4- Jaw Chuck, Fair Condition |
| 94 | 1996 Fortune Model 1640, Gap Bed Engine Lathe, 16" Swing x 40" Between Centers, S/N 232 T56MA, Inch and Metric Threading, 30-1,800 rpm; w/ Spindle Nose Collet Chuck; Quick Change Closer; 14" 4- Jaw Chuck; DTM Tool Post; Tool Holders; and Taper Attachment, Fair Condition |
| 95 | (2) Bridgeport Model Series II, Vertical Milling Machines, S/N 7365; and S/N 7414, 4-HP; Knee Rapid Traverse, Quill Power Feed, 11" x 58" Power Feed Table; Cat 40 Taper and Acu-Rite 2- axis DRO, Fair Condition |
| 96 | Bridgeport Series I, 2-HP Vertical Milling Machine, S/N 126594, 9" x 42", Fair Condition |
| 97 | Bridgeport Series I, 2-HP Vertical Milling Machine, S/N 251422, 9" x 42", Fair Condition |
| 98 | GSP 12" x 60" Radial Arm Drill, S/N 1998; 12" Column x 60" Arm, 48-2,180 rpm, 16" x 21" Table, Fair Condition |
| 99 | 1987 Kent Model KGS-200, 6" x 14" Surface Grinder, S/N 720090, w/ 6" x14" Permanent Magnetic Chuck, Fair Condition |

Item #	Description
100	1983 Mitsui Model 6" x 12", Surface Grinder, S/N 83073552, w/ Walker 6" x 12" Electromagnetic Chuck; and Torit Model 76 Portable Dust Collector, Fair Condition
101	Donaldson Model 75, Vacuum Dust Collector, S/N 175128
102	Mitutoyo Model PH-350, 13" Optical Comparator, S/N 7006; w/ 6" x 16" Slotted Table; Geo-Chek Digital Readout Display, Fair Condition
103	1968 Grob Model 4V18, 18" Throat Vertical Band Saw, S/N 205; 28" x 24"Table; w/ RW-B Blade Welder, Fair Condition
104	1981 Eltee Pulsitron Model TR20, Ram-Type Electrical Discharge Machine, S/N 953; w/ EP30/RD Power Supply; Vectro Model Machining Control, 3-Axis; 3R Tooling System; Assorted Electrodes, and Magnetic Head, Fair Condition
105	Rockwell Model 31-501, 6" x 24" Belt Sander, S/N DE-1907, Fair Condition
106	Johnson 24" Horizontal Band Saw, Fair Condition
107	Wallace Model 5T16-15, 5-Ton Tri-Adjustable Rolling Gantry Crane; w/ Jet 5-Ton Electric Chain Hoist; and CM 5-Ton Manual Chain Hoist, Good Condition
108	Wallace Model S612-15S, 3-Ton Adjustable Rolling Gantry Crane; w/ Coffing 3-Ton Electric Chain Hoist; and CM 2-Ton Manual Chain Hoist, Good Condition

Item #	Description
109	Lot of Mold Shop Support and Inspection Equipment, To Include: Pin Gauge Sets, Bore Gauges, Torque Wrench, Height Gauges; and Hand Die Grinders; Milwaukee Magnetic Drills; Hand and Power Tools; Dayton Model DE 6" Bench Grinder; Powermatic No. 2200-01 Carbide Grinder, 1/2-HP; Baldor Model 8102W Double-End Grinder; S/N 269, 3/4 hp; 3- Bridgeport Vises; C-Clamps; Hold-Downs, Taft-Pierce Sine Plate; 24 x 36 Precision Granite Plate w/ Stand; 2- Harig Grind-All Fixtures; Dake Model 50H Hydraulic Press; Carolina Model CP100 30-Ton Hydraulic Press, S/N 32543; 1- 2-Ton Boom Hoist, Makita Radial Arm Saw, Dollies, Step Ladders, 20' Extension Ladder, (2) Baldor Double Sided Pedestal Grinders, (2) Large Lift Company Steel Die Table Lifts, Tool Carts, Parts Bins, 2-Door Metal Cabinets, Etc.
	<p data-bbox="240 800 496 835"><u>Process Utilities</u></p>
110	Application Engineering Model NECR-2-70, 100-Ton Chiller, S/N 94E0484; w/ (2) 35-HP Pumps; Model C1100D Tank, S/N 94E0486; (1) 7.5-HP and (2) 15-HP Pumps; Insulated Tank; Platform; and Roof Mounted AEC Condenser Coils, Fair Condition
111	Thermal Care Model TSW60, Chiller; w/ Pumps; Steel Holding Tank; and Controls; , Fair Condition
112	Berg Evaporative Cooling Tower; w/ Holding Tank; (Roof Mounted), Fair Condition
113	Carrier Model 30HWC035-0-51KA, 30-Ton Chiller; S/N 58665105Q0, (Used As Backup), Good Condition
114	Carrier Model 30 HK030 530, 30-Ton Chiller; S/N W832747, (Used As Backup), Fair Condition
115	(2) Sullair Model 24KT LS-10-30H, Rotary Screw Air Compressors, S/N 003-142275 and 003-142274, 30-HP, Fair Condition
116	Zeks Model 250HSEA500, Heat Sink Refrigerated Air Dryer, S/N 104369-1, w/ PLC Control, Good Condition

Item #	Description
--------	-------------

117	1988 Gardner-Denver Model Electra-Saver EAPSMB, Rotary Screw Air Compressor, S/N M32077, 100-HP, 18,974-Hours, Fair Condition
-----	---

Material Handling

118	Yale Estimated 8,000-Lb. LP Gas Lift Truck, S/N 010060; 138" Maximum Lift, 2-Stage Mast, Solid Tire, Fair Condition
-----	---

119	1961 Yale 20,000-Lb. LP Gas Lift Truck, S/N AC-030732; 147" Maximum Lift, Single-Stage Mast, Solid Tire, Fair Condition
-----	---

120	BT Prime Mover Model PMX, 4,500-Lb Electric Low-Lift Walkie, S/N PMXD027163004; w/ Charger, Fair Condition
-----	--

121	Approximately (50) Sections of Pallet Racks; 144" x 42" x 144"; Each w/ Deck Screens, Good Condition
-----	--

122	Acco-Wright 10-Ton Free Standing Bridge Crane; w/ 15' x 27' Structural Craneway; and 10-Ton Cable Hoist, Single Beam, Top Riding, Pendant Controlled, Good Condition
-----	--

123	Acco-Wright 10-Ton Free Standing Bridge Crane; w/ 23' x 28' Structural Craneway; and 10-Ton Cable Drum Hoist, Top Riding, Pendant Controlled, Good Condition
-----	--

124	Philadelphia Tramrail/Acco-Wright 10-Ton Bridge Crane; 24' Span x 240' Ways, w/ 1- Bridge; Acco 10-Ton Cable Hoist, 1- Bridge; P&H 5-Ton Cable Hoist, Top Riding, Pendant Controls, Good Condition
-----	--

Office Area

125	Lot of Office Furniture Fixtures and Support Equipment Including But Not Limited To: Telephone System, Printers, Switches, Routers, and Hubs, Laptops, Desktop Computers, Servers, Desks, File Cabinets, Chairs, Tables, Conference Rooms, Bookcases, Credenzas
-----	---

Vehicles

Item #	Description
126	2006 Volvo Model V70R Station Wagon, VIN: YV1SJ527462560429, 2.5L L5 DOHC 20V Turbo Engine
127	2005 Volvo Model XC70 Station Wagon, VIN# YV1SZ592951196046, 2.5L L5 DOHC 20V Turbo
128	2004 Chevy Express 3500 Cargo Van, VIN# 1GCHG39R5Y1159328, 5.7L V8 OHV 16V Engine
129	<p data-bbox="240 604 427 640"><u>Warehouse</u></p> <p data-bbox="240 653 1414 936">Miscellaneous Equipment Located in Warehouse, Including But Not Limited To: Walker Turner Drill Press, Delta Radial Saw, Custom Made Heat Stamping Press, Vertical Drill Press, National Bulk Equipment Tank, Mokon Model NP4100-00, Temperature Controller, S/N 24382, AEC Whitlock Model DB-100, Dryer, S/N 8010055, Helaire 250 HF Square Wave L-Tec Welder, Cardboard, Resin, Pallet Wrapper</p>