

Dickten Masch, Hattiesburg, Mississippi

March 6th, 10:00am

Injection Molding Machines:

1997 Cincinnati-Milacron Magna 725-Ton Injection Molder, Model MH725-140, 140oz Shot, 110mm Screw, Tie Rod Spacing 37.4" x 37.4", Platen Size 55.1" x 55.1", Tie Rod Diameter 6.69", 70.1" Daylight, Min Mold Height 18.1", Max Mold Height 48.4", Eject Stroke 7.87", 460V, 3PH, 60Hz, 202FLA, s/n H07A0497004 Complete w/ Cincinnati-Milacron Camac 486 Control Panel Machine # 469

1995 Cincinnati-Milacron 725-Ton Injection Molder, Model VH725-95, 95oz Shot, 100mm Screw, Tie Rod Spacing 38.19" x 37.375", Platen Size 56.5" x 56", Tie Rod Diameter 6.688", 61" Daylight, Min Mold Height 11.81", Max Mold Height 39.4", Eject Stroke 8", 460V, 3PH, 60Hz, 220FLA, s/n H07A0195034 Complete w/ Cincinnati-Milacron Camac 486 Control Panel Machine # 467

1994 Van Dorn 700 700-Ton Injection Molder, w/ Cincinnati-Milacron Retrofit Model 700TON-127OZ-IMM, 127oz Shot, 110mm Screw, Tie Rod Spacing 36.5" x 36.5", Platen Size 56" x 56", Tie Rod Diameter 7", Daylight 56", Min Mold Height 13", Max Mold Height 36", Eject Stroke 6", 460V, 3PH, 60Hz, 229FLI, s/n 3850A01/94-10 R95 Complete w/ Cincinnati-Milacron Camac 486 Control Panel Machine # 466

1992 Cincinnati-Milacron 500-Ton Injection Molder, Model VH500-54, 54oz Shot, 80mm Screw, Tie Rod Spacing 34.3" x 34.3", Platen Size 48" x 48" Tie Rod Diameter 5.51", Daylight 55.1", Min Mold Height 15", Max Mold Height 38.1", Eject Stroke 5.8", 460V, 3PH, 60Hz, 134FLA, s/n 3905A21/92-10 Complete w/ Cincinnati-Milacron Camac VEL Control Panel Machine # 459

1998 Cincinnati-Milacron Vista VT-440 440-Ton Injection Molder, Model VT440-54, 41oz Shot, 70mm Screw, Tie Rod Spacing 28.9" x 28.9", Platen Size 39.4" x 39.4" Tie Rod Diameter 5.31", Daylight 53.15", Min Mold Height 9.84", Max Mold Height 27.56", Eject Stroke 5.53" 460V, 3PH, 60Hz, 140FLA, s/n T39A0798045 Weight 40,000LBS Complete w/ Cincinnati-Milacron Camac VSx Control Panel Machine # 457

1998 Cincinnati-Milacron Magna 300-Wide Platen 300-Ton 2 Shot Injection Molder, Model MH300-29, 29oz Shot, 65mm Screw, Tie Rod Spacing 27.1" x 27.17", Platen Size 39.37" x 39.37" Tie Rod Diameter 4.33", Daylight 42.13", Min Mold Height 12.2", Max Mold Height 27", Eject Stroke 5.8", 460V, 3PH, 60Hz, 140FLA, Complete w/ 1998 Cincinnati-Milacron Model MH3.00/55MM/32MM-IMM Second Shot Kit, 3.51oz Shot, 32mm Screw, Platen Size 850mm Rotary, Tie Rod Diameter 4.33", 460V, 3PH, 60Hz, 46FLI, w/ Camac VSx Control Panel Machine s/n H03A0498016# 461

1998 Cincinnati-Milacron Magna 300 300-Ton Injection Molder, Model MH300-29, 29oz Shot, 65mm Screw, Tie Rod Spacing 27.1" x 27.17", Platen Size 39.37" x 39.37" Tie Rod Diameter 4.33", Daylight 42.13", Min Mold Height 12.2", Max Mold Height 27", Eject Stroke 5.8", 460V, 3PH, 60Hz, 110FLA, s/n H03A0498004 Complete w/ Cincinnati-Milacron Camac 486 Control Panel Machine # 463

1998 Cincinnati-Milacron Magna 250 250-Ton Injection Molder, Model MH250-21, 21oz Shot, 55mm Screw, Tie Rod Spacing 22.05" x 22.05", Platen Size 30.7" x 30.7" Tie Rod Diameter 3.94", Daylight 39.19", Min Mold Height 9.65", Max Mold Height 24", Eject Stroke 5.04", 460V, 3PH, 60Hz, 110FLA, s/n H02A0498030 Complete w/ Cincinnati-Milacron Camac 486C Control Panel Machine # 454

1998 Cincinnati-Milacron Magna 250 250-Ton Injection Molder, Model MH250-21, 21oz Shot, 55mm Screw, Tie Rod Spacing 22.05" x 22.05", Platen Size 30.7" x 30.7" Tie Rod Diameter 3.94", Daylight 39.19", Min Mold Height 9.65", Max Mold Height 24", Eject Stroke 5.04", 460V, 3PH, 60Hz, 110FLA, s/n H02A0498008 Complete w/ Cincinnati-Milacron Camac 486C Control Panel Machine # 455

1999 Cincinnati-Milacron Vista VT 165 165-Ton Injection Molder, Model VT165-13, 13oz Shot, 50mm Screw, Tie Rod Spacing 17.9" x 16.7", Platen Size 26.8" x 25.6" Tie Rod Diameter 3.3", Daylight 35.8", Min Mold Height 5.9", Max Mold Height 20", Eject Stroke 2.9", 460V, 3PH, 60Hz, 57FLA, s/n T36A0399006 Complete w/ Cincinnati-Milacron Camac 486C Control Panel Machine # 453

1997 Boy 80M 88-Ton Injection Molder 4.27oz Shot, 38mm Screw, Tie Rod Spacing 16.14" x 14.09", Platen Size 22.05" x 22.05" Tie Rod Diameter 2.361", Daylight 33.46", Min Mold Height 9.84", Max Mold Height 26.77", Eject Stroke 5.12", 460V, 3PH, 60Hz, s/n 87797

1996 Boy 50, 55-Ton Injection Molder 4.27oz Shot, 38mm Screw, Tie Rod Spacing 13.19" x 12.01", Platen Size 19.69" x 19.69" Tie Rod Diameter 2.164", Daylight 23.63", Min Mold Height 9.84", Max Mold Height 13.78", Eject Stroke 5.91", 460V, 3PH, 60Hz, s/n 57725

Injection Molder Located in Wisconsin, Preview by Appointment only:

ENGEL	ES330/330/450	1998	DUAL-SHOT	450 Ton	3.7oz 8.2oz	30mm 45mm	30 X 30"	43.31 X 43.31"
-------	---------------	------	-----------	---------	----------------	--------------	----------	-------------------

Robots:

Star Automation Model TW-1000FMA X, Y, Z, Axis Robot s/n T10F-0295 Complete w/ (1) Star Seiki Model STEC-330 Controller, (1) Star Seiki Model STEC-300 Control Interface #26

Star Automation Model TW-1000FMA X, Y, Z, Axis Robot s/n T10F-0308 Complete w/ (1) Star Seiki Model STEC-330 Controller, (1) Star Seiki Model STEC-300 Control Interface #21

Star Automation Model TW-1200FE-3 X, Y, Z, Axis Robot Complete w/ (1) Star Seiki Model STEC-330 Controller, (1) Star Seiki Model STEC-300M Control Interface (on Van Dorn 700)

Star Model 800F Sprue Picker

Chillers:

Thermal Accuchiller Model AQ0W1D04 10 Ton Portable Temperature Controller 460V, 3PH, 60Hz, 24FLA, 10HP Compressor, 3HP Process Pump, 30° - 60°F, R-22 Refrigerant

AEC Model PSW-2 Portable Chiller 460V, 3PH, 60Hz, 6.8 FLA, 12KW Per Heater, 2HP Compressor, 1.5HP Recirculating Pump, R-22 Refrigerant s/n 32L0519

AEC Model TC02 Portable Chiller 460V, 3PH, 60Hz, 18 FLA, 12KW Per Heater, 2HP, Max Pressure 100 PSIG s/n 30J5815

AEC Model TC02 Portable Chiller 460V, 3PH, 60Hz, 18 FLA, 12KW Per Heater, 2HP, Max Pressure 100 PSIG s/n 30J5816

AEC Model TDH-4016M Portable Chiller 460V, 3PH, 60Hz, 18 FLA, 12KW Per Heater, Max Pressure 100 PSIG s/n 99A5236

AEC Model TCU200 Portable Temperature Controller 460V, 3PH, 60Hz, 18FLA, 12KW Watts Per Hour s/n 30H5706 Controller #34

AEC Model TCU200 Portable Temperature Controller 460V, 3PH, 60Hz, 18FLA, 12KW Watts Per Hour s/n 30F5717 Controller #29

AEC Model TCU200 Portable Temperature Controller 460V, 3PH, 60Hz, 18FLA, 12KW Watts Per Hour s/n 30H5707 Controller #21

AEC Model TCU200 Portable Temperature Controller 460V, 3PH, 60Hz, 18FLA, 12KW Watts Per Hour s/n 30F5715 Controller #20

AEC Model TCU200 Portable Temperature Controller 460V, 3PH, 60Hz, 18FLA, 12KW Watts Per Hour s/n 30H5704 Controller #27

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 99A5227 Controller # 16

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5308 Controller # 10

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 99A5230 Controller # 17

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5312 Controller # 6

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5310 Controller # 14

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98M5237 Controller # 12

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5229 Controller # 8

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98M5232 Controller #19

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5309 Controller # 15

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98M5230 Controller # 4

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5311 Controller # 7

AEC Model TDW02M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 19FLA s/n 98L5313 Controller # 13

AEC Model TDW03M12S4 Portable Temperature Controller 460V, 3PH, 60Hz, 20FLA s/n 99A5231 Controller # 3

AEC Model TDWF7M09S4 Portable Temperature Controller 460V, 3PH, 60Hz, 14FLA s/n 98M5229 Controller # 5

Sterlco Sterl-tronic Model S8410-A Portable Temperature Controller, 460V, 3PH, 60Hz, 12FLA, 9KW Watts Per Hour, s/n 62414 Controller # 237

Conair-Tempro Model TC1-DI Portable Temperature Controller, 460V, 3PH, 60Hz, 13.1 FLA w/ Controller Model 11C Range 32°F - 250°F Controller #13

AEC Model T50-6-4-2-CS Portable Temperature Controller, 480V, 3PH, 60Hz, 8.62FLA, Max Pressure 150 PSIG, s/n 33C5521 Controller #39

AEC Model T50-6-4-2-CS Portable Temperature Controller, 480V, 3PH, 60Hz, 8.62FLA, Max Pressure 150 PSIG, s/n 33C5571 Controller #40

AEC Model TNY-4 Portable Temperature Controller, 460V, 3PH, 60Hz, 10FLA, Max Pressure 150 PSIG s/n 30M5701 Controller # 37

AEC Model TNY-4 Portable Temperature Controller, 460V, 3PH, 60Hz, 10FLA, Max Pressure 150 PSIG s/n 30M5644 Controller # 38

Delta-T-Systems DeltaTherm Model AB4315 Portable Temperature Controller, 460V, 3PH, 60Hz, 13FLA, 9KW Watts Per Hour, s/n 12823

Resin Dryers:

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PDC4 460V, 3PH, 60Hz, 47.59FLA s/n 98M0172 Complete w/ 800LBS Capacity Drying Hopper and Autoloader Dryer #2

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PDC4 460V, 3PH, 60Hz, 47.59FLA s/n 99A0134 Complete w/ 800LBS Capacity Drying Hopper and Autoloader

Uni-Dyn Modular Hopper Model 600 600lbs Capacity s/n 140-23-04-01-1195 Complete w/ Uni-Dyn Auto Mini Desiccant Dryer Model UDC-150 s/n 140123-01-02-1195 460V, 3PH, 60Hz, 25.5FLA, and (1) IMS Vacuum Autoloader

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD-3 460V, 3PH, 60Hz, 26FLA s/n 30C0290 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #14

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD-3 460V, 3PH, 60Hz, 26FLA s/n 98L0371 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #4

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD-3 460V, 3PH, 60Hz, 26FLA s/n 98L0375 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #6

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD-3 460V, 3PH, 60Hz, 26FLA s/n 98M0171 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #7

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD-3 460V, 3PH, 60Hz, 26FLA s/n 98L0372 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #5

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD-3 460V, 3PH, 60Hz, 26FLA s/n 98A8182 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #8

AEC-Whitlock Portable Material Desiccant Drying Unit Model WD-100 460V, 3PH, 60Hz, 26FLA s/n 91F091 Complete w/ 400LBS Capacity Drying Hopper and Autoloader Dryer #13

AEC-Whitlock Nomad Portable Material Desiccant Drying Unit Model Nomad PD1D 460V, 3PH, 60Hz, 17.92KVA, 22.57FLA s/n 91F090 Complete w/ 400LBS Capacity Drying Hopper Model DH-12-OFI s/n 91F091 and Autoloader

Conair-Franklin Model 180539200 Approx 400LBS Drying Hopper w/ (1) Conair Franklin Compu-Dry Desiccant Dryer and (1) Conair-Franklin Auto-Loader

Whitlock Model DH-100F Portable Desiccant Dryer Complete w/ (1) Whitlock 100Lbs Drying Hopper s/n 19c319 w/ Whitlock Model 99030 Autoloader s/n 900321 Dryer # 12

Conair-Franklin Carousel Computerized Desiccant Dryer Model CS-101-TEFA/0496 480V, 3PH, 60Hz, 11.5FLA s/n 12951 Dryer #18

Conair-Franklin Compu-Dry CD100 Computerized Dryer Control

Conair-Franklin Compu-Dry Computerized Dryer Control

Granulators:

AEC Nelmor Model G1620 25 HP Granulator s/n 03C05419

AEC Nelmor Model G1620 25 HP Granulator s/n 98J02055 Granulator #6

AEC Nelmor Model G1220P1 20 HP Granulator s/n 97F00537

AEC-Nelmor Model G1215P1 20 HP Granulator s/n 98J02051 Granulator #5

AEC-Nelmor Model G1215P1 20 HP Granulator s/n 98J02051 Granulator #2

AEC-Nelmor Model G1215P1 20 HP Granulator s/n 98J02052 Granulator #4

AEC-Nelmor Model G1215P1 20 HP Granulator s/n 98J02049 Granulator #1

AEC-Nelmor Model G1012P1 7.5 HP Granulator s/n 95-02-36081 Granulator #13

AEC-Nelmor Model G1012P1 7.5 HP Granulator s/n 95-04-36595 Granulator #10

AEC-Nelmor Model G810FX 5 HP Granulator s/n 98J02044 Granulator #7

Hot Runners:

D-M-E 8-Port Hot Runner Model MFP8G s/n FC 32491 w/ (8) Temperature Controllers

(2) D-M-E 5-Port Hot Runner s w/5 Temperature Controllers

D-M-E 2-Port Hot Runner Model MFPK26 s/n FC 38643 w/ (2) Temperature Controllers

Mixers:

Mould-Tek Exac-U-Batch Series 4 Gravimetric Blender GXB Complete w/ (2) Mould-Tek Model VM-1001 Vacuum Loaders, (1) Dual Section Material / Storage Hopper, Pneumatically Controlled Batch Release Valves and Controller, Scale and Stand

IMS Model S50 Hurricane Mixer s/n 0525

Thoreson McCosh Single Colorant Mixer

Production Support:

Greive-Hendry Model HA-500-A, 500° Oven 230V, 3PH, 60Hz, 21.1Amps, 4KW s/n17176

Duke "E" Series 500°F Oven

Gyra-Vib Vibratory Coarse and Fines Separation Unit

Crizaf Automation Model L22X12 Adjustable Height 15' x 22 Inch Conveyor s/n CE-1788

Crizaf Automation Model L22X12 Adjustable Height 15' x 22' Conveyor s/n CE-1837

Dyna-Con 18" Inclined Conveyor

(5) Crizaf Inclined Conveyors Various Sizes, Widths, and Heights

TEC Model H248 8'x18" Conveyor s/n 95-02087-3

Numerous Work Benches

Quality Control & Inspection:

Digital Electronic Automation IOTA PL Coordinate Measuring Machine Complete with 72" x 30" x 22" Slotted Granite Surface Plate, X/Y/Z Axis Measuring Head, and Computer System s/n M045306

Optima MPS Vision System s/n 030801

Brown and Sharpe Tesa Hite 24" Height Gauge w/ Digital Readout and Controls

Numerous 24" Height Gauges

Fowler 1 Meter Vernier w/ Digital Readout

Fowler 18" Vernier w/ Dial Indicator

Mititoyo Absolute Digimatic 6" Vernier w/ Digital Readout

Scherr Tumico 1" - 12" (12) Caliper Box Set

Scherr Tumico 1" Caliper

Meyer Pin Gauge Sets Models (1) C-10 Minus Set (Incomplete), (1) M-2 Minus Set (Incomplete), M-3 Minus - M-7 Minus Sets All Complete

M G .050" - 4" Gage Block Set s/n 78110

Ottavino Metro Plate 48" x 48" x 6" Granite Surface Plate w/ Tables/n 3474

Granite Surface Plate 36" x 24" x 4" w/ Stand

Jenner Fiber-Lite PL-750 Fiber Optic Light Source

Vehicles-Forklifts-Material Handling:

1999 International 470 22' Box Truck, w/ DT-466E Diesel 6-Cylinder Engine VIN # 1HTSCAAPOXH214244,

100+ Sections of Penco Finger Lock Pallet Racking w/ Approx 18' Tall Uprights and 8" Long Crossmembers

Gaffey 4 Ton Capacity Overhead Bridge Crane 30' Span, Approx 120' Long Track, Undertrack Trolley w/ Shaw-Box Hoist and Control Pendant

Caterpillar Model T800 Short Turn Radius 8,000LBS Capacity LPG Fork Lift w/ 3 Stage Mast, 42" Forks, and Sideshift

Roura Hopper 1 Cubic Yard Self-dumping Hopper Model 3T-270

Liftrite 5,000LBS Pallet Jack

Lantech Q300 Semi-Automatic Pallet Wrapper w/5' Rotary Table, 7' Operating Height, 115V

General GE 520 10,000LBS x 2 Capacity w/ Digital Readout

Louisville 8" Rolling Staircase

Tennant 7200-6339 36V Floor Scrubber

Machine Shop & Machine Tools:

2005 Acra FEL-1660GNX Engine Lathe 32-1550RPM Complete w/ Approx 72" x 15" Bed Tail Stock, X/Y Tool Holder, Dorian Tool Model SD35CXA Tool Post Holder, Lubrication, (1) 3-Jaw Chuck, (1) 4-Jaw Chuck s/n 20059848

Leblond Makino Regal Servo Shift Engine Lathe w/ 72" Bed, Tail Stock, 4-Jaw Chuck,

Hurco Hawk 30 40-3950RPM Vertical Milling Machine Complete w/ Powerfeed, 48" x 12" Table, Lubrication, Hurco Ultimex SSM Programmable X/Y/Z Axis Controller with Digital Controls and Display

Bridgeport Vertical Milling Machine Complete w/ 60-4200RPM J1 Head, 42" x 10" Table, Bijour Lube, and Accurite X/Y Digital Coordinate Display

Sharp 60-4500 RPM Vertical Milling Machine, Complete w/ 42" x 10" Slotted Table Powerfeed, Lubrication, Sony Model NZ12-2 X/Y/Z Axis Programmable Coordinate Controller with Digital Display

Tree 60-3300 RPM Vertical Milling Machine Complete w/ 36" x 12" Table, and Accurite III X/Y Digital Coordinate Display

Chevalier Model FSG-3A818 Surface Grinder w/ Control Panel and 18" x 8" Magnetic Chuck Model ELC-2045C

Hansvedt Cintrojet Model SM-186 Electrical Discharge Machines/n 000641 Complete w/ 36" x 24" Slotted Table, Lubrication, Hansvedt Machine Control Panel, CMK Futaba Pulscale X/Y/Z Axis Digital Controller, Hansvedt H-Pulse EDM Power Supply

AGIE Agiecut 100 Electrical Discharge Machine s/n 36 Mfd 1985 Complete w/ Agiematic-C Control Panel s/n 60, Agie RC123 Remote Control Unit, Agie Storage Unit DA15/CU+MID s/n 53, Agie Puls MM s/n 60

Xermac Dual Station EDM (1) Station Complete w/ Acu-Rite X/Y/Z Programmable Display, (1) Complete w/ CMK Futaba Pulscale X/Y/Z Programmable Display, (1) Shared Control Panel

Friedrich Deckel Model FP-3LV DRO w/ Heidenhain X/Y/Z Coordinate Display

Lincoln Vertical Metal Cutting Bandsaw Model RF66KB363 230V, 3PH, 60Hz Complete with Blade Welder s/n B361258 Manufactured 05/96

Clausing 36" Horizontal Band Saw

(2) Harig Super 612 Surface Grinders

Ooya Model RE-1225H 38-1985RPM Radial Arm Drill w/ 48" x 24" Slotted Base, 24" x 18" Slotted Riser Fixture

Solberga Model SE205 Pedestal Mounted Drill Press

Rockwell Model 15-665 Pedestal Mounted Drill Press s/n 1776439

Westhoff Machine Precision Horizontal Drill Press s/n 1812-02

Friedrich Deckel Model SO/65-7828 Drill Bit Sharpener

Dake Model 50-H 50 Ton H-Press

Trinco Model 3G/BP Sand Blasting Cabinet s/n 50140-8 w/ (1) Trinco model BP2 Dry Blast Unit

Donaldson Torit Trunkline Model Easy-Trunk 115V Portable Dust Collection Unit s/n 16525849

(2) Kurt 8" Mill Vises

Kurt 6" Mill Vise

Walker Ceramax 12" x 6" Magnetic Chuck

Baldor Model 1022W Pedestal Mounted 1HP Double Ended Grinder

Lincoln 6" Double Ended Bench Grinder

Leeson 2" Belt Sander

Kalamazoo Industries Model K-10 10" 3HP Cut-off Saw

Greymills Handi-Kleen Model PL36 Parts Washer

AccuPro Rockwell Hardness Tester Model 06534051 s/n 0012

Ney Vulcan A-550 2000°F Benchtop Furnace

4' x 4' Welding Bench w/ 6" Wilton Vise

Justrite 45 Gallon Flammable Storage Cabinet

Eagle Model 1932 30 Gallon Flammable Storage Cabinet

(3) Spectrum Small Parts Cabinets,

Contents of Mezzanine Including But Not Limited to Motors, Fittings, Nipples, Switches, Controllers, Timers, Barrel Heaters, Filters, Small Parts Storage Cabinets and Contents

Numerous 24" Industrial Fans

Plant Support:

Gardner Denver 50 HP Rotary Screw Air Compressor, 230V, Mfd 11/97

Gardner Denver Model RDS250A-4 Refrigerated Air Dryer 460V, 3PH, 60Hz, R-22 Refrigerant s/n 120-11-17-1998-4488

Manchester Tank 200 Gallon Vertical Air Storage Tank

Clayton Stepfired Steam Generation Skid Model EG-33-2 s/n 23678

Clayton Stepfired Steam Generation Skid Model EG-33-2.5-F s/n 22520

Approx 40' x 6' Mezzanine

Approx 8' x 5' Mezzanine

Office:

RSI Video Flyer Plus Video Conference System Complete w/ Sony 32" TV, Sony 12X CCD Camera , Canon RE-350 Video Visualizer, 4-Wheeled TV Stand

Konika Model 7040 Photo Copier w/ Recirculating Feeder and 3 Paper Trays

Hewlett-Packard HP-GL/2 Dual Language DesignJet 600 36" Plotter
12" x 36" Oblong Conference Table

Numerous Steelcase 72" x 30" 5 Drawer Desks

Numerous Steelcase 72" x 24" 9 Drawer 2 Door Credenzas

Numerous Steelcase 72" x 24" 5 Drawer Credenzas

Modular Reception Work Station

Numerous 5-Drawer Lateral Filing Cabinets

Numerous 2 Drawer Lateral Filing Cabinets

Numerous Pneumatically Adjustable Swivel Based Chairs

Numerous Stationary Chairs

Kronos Model 480F s/n R00097278 Time Clock

Plus BoardFax BF-030W Electronic White Board With Printer