

Webcast & On-Site Auction

By Order of United States Bankruptcy Court Eastern District of Michigan Southern Division



SIDLER
Interior Lighting & Trim Specialists

Complete Closure of 100,000 Sq Ft Facility



www.TheBranfordGroup.com



www.pplauction.com

Date & Time

Thursday,
April 27, 2006
10:00am (local time)

Sale & Preview Location

11654 E 400 S
Laotto, IN 46763
(Auction Site)

Auction Location

Laotto, IN USA

2nd Preview Location

1155 E Whitcomb Ave
Madison Heights,
MI 48071

**Indiana Location: 11654 E 400 S,
Laotto, IN (Auction Site)**



1998 KRAUSS MAFFEI 275 TON INJECTION MOLDER



2002 KRAUSS MAFFEI 715 TON INJECTION MOLDER



KRAUSS MAFFEI "275" TON INJECTION MOLDER



2003 KRAUSS MAFFEI 220 TON INJECTION MOLDER



2004 KRAUSS MAFFEI 275 TON INJECTION MOLDER



PYRAMID 40-TON SHUTTLE MOLD PLASTIC INJECTION MOLDING MACHINE, MODEL CS-40



2002 KRAUSS MAFFEI 275 TON INJECTION MOLDER



AEC AUTOMATION ROBOT

INJECTION MOLDERS

2002 Krauss-Maffei 6500 KN CNC Hydraulic Reciprocating Screw Enclosed Base Plastic Injection Molding Machine, Model KM650-3500C2, s/n 654286, 1530 mm x 1450 mm (hvx) Mold Platen, 100 mm x 930 mm (hvx) Between Tie Bars, 50 mm Mold Opening Stroke, 600 mm Mold Height, 1750 mm Daylight, 250 mm Stroke Hydraulic Ejector, 3500 cm² Screw Working Capacity, 80mm Screw Diameter, L/D Ratio = 23, Max. Temp 375 Degrees C, 1-Shot Lubrication System, Filters, Vacuum Hopper Loader

2004 Krauss-Maffei 2500 KN CNC Hydraulic Reciprocating Screw Enclosed Base Plastic Injection Molding Machine, Model KM250-1000C1, s/n 61004583, 995 mm x 1050 mm (hvx) Mold Platen, 630 mm x 630 mm (hvx) Between Tie Bars, 820 mm Mold Opening Stroke, 330 mm Mold Height, 1150 mm Daylight, 200 mm Stroke Hydraulic Ejector, 1100 cm² Screw Working Capacity, 50 mm Screw Diameter, L/D Ratio = 22, Max. Temp 375 Degrees C, 1-Shot Lubrication, Filters, Vacuum Hopper Loader

2002 Krauss-Maffei 2500 KN CNC Hydraulic Reciprocating Screw Enclosed Base Plastic Injection Molding Machine, Model KM250-1400C1, s/n 254565, 995, 1400 cm² Screw Working Capacity, 55 mm Screw Diameter, All other specs equal to 2004 Unit

2003 Krauss-Maffei 2000 KN CNC Hydraulic Reciprocating Screw Enclosed Base Plastic Injection Molding Machine, Model KM200-700C1, s/n 201320, 915 mm x 910 mm (hvx) Mold Platen, 560 mm x 560 mm (hvx) Between Tie Bars, 700 mm Mold Opening Stroke, 350 mm Mold Height, 1050 mm Daylight, 200 mm Stroke Hydraulic Ejector, 700 cm² Screw Working Capacity, 45 mm Screw Diameter

1998 Krauss-Maffei 2500 KN CNC Hydraulic Reciprocating Screw Enclosed Base Plastic Injection Molding Machine, Model KM250-1400C1, s/n 254217, 1400 cm² Screw Working Capacity, 55 mm Screw Diameter, all other specs equal to 2004 unit

Pyramid 40-Ton Shuttle Mold Reciprocating Screw Plastic Injection Molding Machine, Model CS-40, s/n 2400, 8" x 30", 2-Station Shuttle Table, Allen Bradley Panelview 550 PLC Control

ROBOTS

Whitman Model W633 Robot, s/n 5256, Travels X=900 mm, Y=1600 mm, Z=2500 mm, Krauss-Maffei Touch Pad Programmable CNC Control (#13)

Krauss-Maffei Model NR260-0895 Robot, Travels X=900 mm, Y=1400 mm, Z=2500 mm, Krauss-Maffei Touch Pad Programmable CNC Control w/ Hand Held Controller (#17)

Whitman Model W CNC Robot, s/n 6015, Krauss-Maffei Touch Pad Programmable CNC Control (#15)

AEC Model AEX11-400SL-3 Robot, s/n 03E9423, Krauss-Maffei Touch Pad Programmable CNC Control (#16)

Whitman Model W430 Robot, s/n 92, Travels X=500 mm, Y=1400 mm, Z=2500 mm, Krauss-Maffei Touch Pad Programmable CNC Control (#12)

Indiana Location: 11654 E 400 S, Laotto, IN (Auction Site)



AEC WHITLOCK DRYERS



NOVATEC DRYERS



WHITMANN CNC ROBOT



AEC GRANULATOR 20 HP



WHITMANN ROBOT



AEC WHITLOCK DRYERS



VIEW OF GRANULATORS



AEC WHITLOCK 4 COLOR BLENDER



MACQUIRE 2 COLOR BLENDER



AEC TEMPERATURE CONTROLLERS & MOKON LEAK STOPPER



AEC TEMPERATURE CONTROLLERS

GRANULATORS

AEC Nelmor 16" x 24" Granulator, Model T-1624, s/n 03G05547, Feed Hopper, Manual Crank Hopper Tilt, 20 hp Drive w/ Safety Enclosure

AEC Nelmor 8" x 10" Granulator, Model MV810, s/n 03005424, 5 hp

Nelmor 8" x 10" Granulator, Model G810LS, s/n 9504, 3 hp

Nelmor 8" x 10" Granulator, Model G810M1, s/n 6912944, 5 hp

Rapid 8" x 10" Granulator, Type 810, s/n 370111 (1999)

AEC Nelmor Marathon 10" x 12" Granulator, Model MV1012, s/n 02105232, 15 hp

Rapid Solo 12" x 14" Granulator, Model F-14, s/n 58630002 (2004), 7.5 hp (est)

DRYERS

Dri-Air Industries Inc Dryer, Model APD6, s/n D12525 w/ 200 Lb. Stainless Steel Hopper, Vacuum Loader

(2) AEC Whitlock Dryer, Model WD150, s/n 32C0377, 32C0376 w/ 600 Lb. (est)

(2) Novatec Dryer, Model N-50, s/n 10A2895-0804 & 0803 (2004) w/ 50 Lb. (est) Drying Hopper, Novatec Vacuum Loader

(3) AEC Whitlock Dryer, Model WD50MR, s/n 33E0347, 32C0384, 33E0348, 32C0383, 50 Lb. (est) Drying Hopper, Vacuum Loader



DRI AIR DRYER



BRANSON ULTRASONIC WELDER

TEMPERATURE CONTROLLERS

AEC Portable Self Contained Chiller, Model PSA10, s/n 32C0368

(4) AEC Portable Self Contained Chiller, Model PSA-5 & 3.5, s/n 32C0367, 00D0869, 33D0449, 33E0336

Mokon Portable Self Contained Chiller, Model AC4A05-91, s/n 52247

(2) AEC Portable Mold Temperature Controller, Model TCU200, s/n 32C5502, s/n 32C5501

Advantage Portable Mold Temperature Controller, Model Sentra VE-SK-1035, s/n 88680 (2005)

AEC Portable Mold Temperature Controller, Model TCU075, s/n 30J5498, 30J5499, 3E5464, 33E5463, 33D5609, 32A5490, 32A5489

Advantage Sentra VE Series Portable Mold Temperature Controller, Model SK-1035, s/n 86579, (2005)

Mokon Portable Mold Temperature Controller, Model H34109-51, s/n 52243 w/ Solid State Control

BLENDERS

Maguire Products 2-Color Resin Blender, Model WSB 140B, s/n 104147-21 w/ (2) Novatec Vacuum Loaders, Hoppers, Blending Chamber, Feeder

AEC Whitlock Resin Color Blending System, Model OS-007-4, s/n 33D0465 w/ Vacuum Hopper Loaders, Divided Feed Hopper, Blending Chamber and Feed

AEC Whitlock 2-Color Resin Blender, OS Series Model OS-007-4, s/n 33E046 w/ (3) Vacuum Loaders, Divided Hopper, Mixing Chamber, Feed Chamber

PAINT SYSTEM

System Technologies Self Contained Conveyorized Paint Spray System Including 8' x 10' Enclosed Placeable Filter Front and Rear Wall, Manual Paint Spray Booth w/ 12" x 48" Thru-Feed Openings, 250 Feet (Est), Self Supporting, Medium Duty, Overhead Parts Transport Conveyor w/ Hangers on 22" Centers and Drive, Enclosed 60" x 96" Paint Kitchen w/ (2) Man Doors, 2-Pass Gas Fired Forced Air Bake Oven w/ Burners, Blowers and Controls, Central Operator Control Station, Overall Footprint 32' x 32', Paint Pots and Guns

Indiana Location: 11654 E 400 S, Laotto, IN (Auction Site)



AEC SURGE BINS & RESIN PUMP



AMP RIVETING MACHINE



NUMEROUS EMI CONVEYORS



AEC CHILLERS



1999 COMPLETE PAINT LINE AND DRYING TUNNEL



BULK RESIN SILO



HARIG SURFACE GRINDER



LAGUN MILLING MACHINE

INSPECTION

- Acco Wilson Digital Rockwell Hardness Tester, Model 3DTT, s/n 384-581
- Small Service Diamond Rockwell Hardness Tester
- Chatillon Benchtop Tensile Tester w/ Accessories
- Micro-Vu 14" Optical Comparator, Model H14, s/n 682
- Nikon 12" Benchtop Optical Comparator, Model 6C, s/n 11717
- Toledo Benchtop Digital Scale
- Associated Environmental Systems Self Contained Portable Environmental Test Chamber, Model SK3108, s/n 4277
- Gretag MacBeth Spectra Light III Benchtop Color Inspection Chamber
- Chatillon Benchtop Digital Push-Pull Force Gauge, Model TCD200
- Gretag MacBeth Spectra Light III Benchtop Color Inspection Station w/ Touch Pad Controls
- Mitutoyo Benchtop Coordinate Measuring Machine, Model B504B, Black Granite Base, Computer Equipment, Dedicated Kaeser Air Dryer
- Inspection Equipment Including: Digital Torque Meter, Pin Gauges, Gauge Blocks, Gauge Block Sets, Dial Calipers, Force Gauges, Electrical Test Equipment, Hue Test Equipment, etc.

TOOLROOM

- Trinco 40" x 40" 2-Hole Reach In Dry Blast Cabinet, Model 40 x 40 SL/PC, s/n 58676-3, Swing Door at One End, Manual Tilt Cabinet, Turntable, Trinco Model DP850 Dust Filter
- Journeyman 20" Vertical Band Saw, 24" x 24" Tilting Work Table
- Seco Machine Tools Inc. Portable Single Bag Dust Collector, Model UF0-10, 1-1/2 hp Motor Driven Fan
- Republic Lagun Variable Speed Dovetail Ram Type Vertical Milling Machine, s/n SE-18163, 9" x 48" Power Table, DRO
- Yuasa 6" Dividing Head, Stock #550-666
- Baldor and Delta 1/3 hp Double End Bench Grinders
- Toolroom Accessories Including: Milling Cutters, Drill Chucks, Collets, Reamers, Roach Set, Toolholders, Taps, Hand Tools, Hold Down Set, etc.
- Harig 6" x 12" Hand Feed Surface Grinder, Model 612, s/n 15456
- Enco 11" x 26" Toolroom Lathe, Model Maximat Super 11
- Torro 20" Gasoline Powered Snow Thrower
- 6' Portable Safety Stairway
- Artos Power Coil Cradle, Model TT-1, s/n 44178
- Benchmaster 15-Ton (est) Benchtop OBI Press w/ Dedicated Base
- Abex Dennison 2-Ton Benchtop Multipress, Model WUAP2TR, s/n 7842, 5" Throat, 9" x 11" Bed
- Multipress Inc. 2-Ton Benchtop Hydraulic Multipress, Model WUPA-2TR, s/n 30056, 300059

MATERIAL HANDLING

- Assorted Drum Handling Equipment Including: 2-Wheel Barrel Trucks, Drum Dollies, Drum Tilter for Forklift
- Yale 3,000 Lb. Electric Walk Behind Stacker Lift, Model MCW030LCN24TE083, s/n B819N02715X, Solid Tires, 167" Max. Lift, 3-Stage Mast, CD Technologies Ferro 5 Charger
- Crown 3,200 Lb. Electric Fork Lift Truck, Model SC4040-35TT190, s/n 9A117561, Solid Tires, 3-Stage Mast, Side Shift, Deka Charger
- Caterpillar 3,000 Lb. Propane Fork Lift Truck, Model GC15, s/n 2EM04218, 190" Max. Lift, 3-Stage Mast, Side Shift
- Automatic 2,000 Lb. Electric Walk Behind Stacker Lift, Model WST-25, s/n 53672
- Caterpillar 3,500 Lb. Propane Fork Lift Truck, Model GC18, s/n 2EM03118, Solid Tires, 180" Max. Lift, 3-Stage Mast, Side Shift
- Factory Cat Electric Walk Behind Floor Scrubber w/ Charger
- Crown 2,850 Lb. Electric Stand Up Order Picker Fork Lift Truck, s/n 1A130513, 180" Max. Lift, 3-Stage Mast, Rider Elevates w/ Load, Hobart Accu-Charger Battery Charger
- High Light Industries Semi Automatic Rotary Pallet Stretch Wrapping Machine, Model Synergy 1, 60" Dia. Rotary Table
- Rotary Pallet Wrapper, 60" Dia. Power Table
- Mettler Toledo 10,000 Lb. Digital Floor Scale, 48" x 60" Platform

Indiana Location: 11654 E 400 S, Laotto, IN (Auction Site)



CAT LPG FORKLIFT



SULLAIR AIR DRYER



CROWN ELECTRIC FORKLIFT



OVERHEAD BRIDGE CRANE



SAND BLAST CABINET



GRAVITY FLOW RACKING

SUPPORT

Royal Arc 3-Ton Overhead Electric Traveling Bridge Crane, s/n 03-5545, 40' (est) Span, Yale 5-Ton Electric Table Hoist w/ Pennant Control, 400' Self Supporting Electrified Runway w/ Rail and Electric

Branson Benchtop Ultrasonic Welder, Model 920iw+ w/ Touch Pad, Enclosed In Sound Housing Mounted on Portable Base

Warren Rupp Sand Piper Pneumatic Diaphragm Pump w/ Hose and Filter

AMP Ampomator/Cls IV Dual Head Wire Cutoff and Press Machine, Model IV, s/n 169758 w/ 2 Plain Wire Straightener, Power Feed, Cutoff, (2) Terminal Presses w/ Robotic Transfer and Take Away Arms

Frasch 16" x 10' Power Parts Conveyor, Type FP66U3000/400, s/n 98695-03

(3) EMI Plastics Equipment 24" x 10' Portable Parts Conveyor, Model DDF-2410-20, s/n DD1370, DD1369

400' (est) 2" Diameter Aluminum Resin Transport Pipe

National Bulk Equipment Inc. Resin Distribution System Including 12' Dia. x 24' High (est) Galvanized Corrugated Steel Bolt Together Resin Storage Silo w/ NBE Wall Mounted Digital Inventory Monitoring System, NBE 60" x 60" x 60" Deep (est) Cone Bottom, Bottom Discharge Overhead Resin Storage Hopper, AEC Self Contained Vacuum Power Unit, Model VTP-5, s/n 175167 w/ Vacuum Pump

D-M-E Company, 4-Zone Electric Mold Temperature Control, model MFP8G, s/n 012999

Mac Automation Concepts 350 Lb. (est) Portable Polypropylene Resin Transport Hopper

J.A.M 2-Head Automatic Terminal Crimping Machine, Type Mini C3-2, s/n TA360467 w/ (2) Plain Straightener and (2) Crimping Heads

Tampo Print Benchtop Pad Printer, Type Hermetic 6-11, s/n H-04-014162 (2001), 8" x 8" Bed w/ Tampo Print Drying Tunnel

New London Engineering 6" x 12' Power Parts Conveyor, Model 250-6-12, s/n 00-586-98-2 w/ Drive

Dyna-Con 12" x 12' (est) Parts Elevator Conveyor, Model 12S2815B0, s/n 20572201 (1999)



SULLAIR AIR COMPRESSOR



CROWN SCISSOR REACH ELECTRIC NARROW AISLE FORKLIFT

Factory Equipment Including: Assorted Stackable Plastic Tote Pans, (50) Assorted Electrified Assembly Benches, Automatic Assembly Stations, Shop Benches, Cables of Wire, Benchtop Router, Vibratory Bowl Feeders, Portable 4-Wheel Transport Carts, Storage Cabinets, Shop Stools, 2-Wheel Hand Trucks, Pallet Jacks, Floor Maintenance Equipment, Shop Fans, Molded Plastic Picnic Tables w/ Benches, etc.

Escort 11" x 60" Portable Power Parts Elevator Conveyor

Mead Benchtop Pneumatic Assembly Press w/ (2) Hand Controls

(2) Assorted Flammable Liquid Storage Cabinets, Portable Stairways

AIR COMPRESSORS

Kaeser Regenerative Desiccant Compressed Air Dryer, Model KAD-45, s/n 3331-2-9911-10KD

Comp Aire 25 hp Dual 2-Stage Air Compressor, Model DB462C, s/n 1012907

Sullair 50 hp Rotary Air Compressor, Model 12B-50LACAC, s/n 003-63660, Max. Pressure 100-110 PSIG w/ Sullair Air Dryer Model SP500-02250128-212

PALLET RACKING

One Section 124" Deep x 108" Wide x 12' High (est) 5-Tier Flow Rack

(6) Sections Interack 30 96" x 180" x 15' High (est) 9-Tier Flow Rack

(75) Sections Interlake 42" x 96" x 12' or 15' High (est) 2, 3, and 4-Tier Heavy Duty Adjustable Pallet Rack

(2) Sections Interlake 108" x 125" x 12' (est) 5-Tier Flow Rack

(9) Sections 36" x 120" x 10' High (est) Heavy Duty Adjustable Pallet Racking

(8) Sections 116" x 96" x 12' High (est) 5-Tier Flow Rack

(1) Section 40" x 144" x 10' High (est) 2-Tier Pallet Rack w/ Wire Shelf Inserts

(9) Sections 48" x 96" x 10' High (est) 3-Tier Pallet Rack w/ Wire Shelf Insert

(3) Sections 64" x 88" x 8' High (est) 6-Tier Flow Rack

(2) Sections Interlake 36" x 96" x 12' (est) Coil Storage Rack

OFFICE


120' Fabric Sided Office Partitioning w/ Attached Modular Furniture and Overheads

Office Furniture and Business Machines Including: Desks, Chairs, Storage Cabinets, File Cabinets, Molded Stack Chairs, Lateral Files, Credenzas, Swivel Arm Chairs, Executive Suites, Computers, Printers, etc.


Michigan Location: 1155 E Whitcomb Ave, Madison Heights, MI



ST OPTICAL COMPARATOR- MICHIGAN



PARTIAL VIEW OF INSPECTION GAUGES- MICHIGAN



PARTIAL VIEW OF INSPECTION GAUGES- MICHIGAN



PALLET RACKING-LOCATED AT BOTH LOCATIONS



DOALL VERTICAL BAND SAW- MICHIGAN



CHEVROLET BOX TRUCK- MICHIGAN



VIEW OF DELL SERVERS- MICHIGAN



NUMEROUS OFFICE CUBICLES- LOCATED AT BOTH LOCATIONS



TRAINING CONFERENCE TABLE- MICHIGAN

Toolroom Machinery & Shop Equipment

Speedaire 10 hp Dual 2-Stage Tank Mounted Reciprocating Air Compressor w/Air Dryer Model 5Z657B

Niagara 36" Kick Shear

DoAll 16" Vertical Band Saw, Model ML, s/n 5014447, 24" x 24" Tilting Worktable, Built In Butt Welder and Grinding Attachments

Troyke 12" Rotary Table, Standard Belt Drive Double End Polishing Lathe

Porter Cable 8" Wet/Dry Belt Grinder, Type G8, s/n 363, 7" x 15" Worktable

Walker Turner 20" Drill Press

Keller Benchtop Die Filer, Model 1A, s/n 6127

Canilever Material Storage Rack w/ Assorted Steel And Aluminum Stock

Portable Wooden Storage Cart w/ Small Parts Storage Cabinet and Contents of Die Springs, Cap Screws, Bar Stock, etc.

Dake 50 Ton Adjustable Bed H-Frame Manual Hydraulic Shop Press, Model 25, s/n 143500, 33" Between Housings

Dries & Krump 48" Manual Box and Pan Bending Brake, Size W31, s/n 102529

Cincinnati 18" x 54" Tray Top Geared Head Engine Lathe, s/n 1W4H6C-56

Suburban 5" x 10" & Robbins 4" x 8" Permanent Magnetic Sine Chuck

Bridgeport #2 Adjustable Boring Head w/ Case and Accessories

Covel 6" x 10" Hand Feed Surface Grinder, Style 7A, s/n 7A-1778, 6" x 10" Chuck

L-W Dividing Head w/ Tailstock, Hardinge Dividing Head

Rocklin Mfg. Co. Rocklinizer Super Power Electronic Charge Generator, Model 314

Bridgeport 1 1/2" hp, Vertical Milling Machine, s/n 126418, 9" x 42" Power Table, Anilam Mini Wizard, 2-Axis Programmable DRO

Acetylene Torch Rig w/ Cart, Torch, Hose and Gauges

Airco 250 Amp Portable Arc Welder Model ACMSM Bumble Bee

Huge Quantity of Toolroom Accessories Including: Boring Heads, Collets, Small Parts

Storage Cabinets w/ Contents, Drills, Grinding Wheel Dresser, Leather Stamps, Number Stamps, Machine Vises, Grinding Wheels, Lathe Tooling, Punch and Die Set, Arbor Press, Pneumatic Fittings, Grinding Fixture, Drill Sleeves, Bushings, Tool Bits, Roll Pins, Dowel Pins, Angle Plates, Drill Chucks, Centers, Storage Cabinets

Quality Control & Inspection

Scherr-Tumico 30" Optical Comparator, Model 22-2500, s/n 883, 8" x 35" T-Slot Workstage

Illumination Lenses, 2-Axis Programmable DRO

Mitutoyo 24" Digital Height Gauge

Mitutoyo 36" x 48" x 8" Thick Black Granite Surface Plate

Chatillon Benchtop Vertical Digital Force Gauge, LTC500, s/n 04139802

Associated Environmental Systems Benchtop Environmental Test Chamber, Model SK-5105, s/n 5417

MacBeth Spectralight Inspection Station w/ Dedicated Bench

Associated Environmental Systems Benchtop Environmental Test Chamber

Inspection Equipment Including: VAS Engineering Doric 400 Series MacBeth Nuovo-Gloss DC Power Supplies, Ametek Accu-Force III Gauge, Imada Torque Meter, Mitutoyo Torque Wrench, Micrometer Sets, Gauge Block Sets, Calipers, Regulated Brightness Source, Probes, Die Electric Break Down Tester, Resistance Meters, Dual Display Multimeters, Microscope, Hue Test Kit, Greenley Light Meter, Pin Gauges, etc.

Decorating

Service Tectonics Pneumatic Hot Stamping Press, Model HSCS150, s/n 5614486

Franklin Benchtop Hot Stamping Press, Model 1020, s/n 05422, 3" x 6" Head

TampoPrint Benchtop Pad Printer, Type TT80/31, s/n 851

Forklifts

Caterpillar 4700 Lb. Propane Forklift Truck, Model GC25, s/n 4EM03058, Lift, 3-Stage Mast, Side Shift



CAT 50 LPG FORKLIFT- MICHIGAN



BRIDGEPORT VERTICAL MILLING MACHINE- MICHIGAN

Plant Support Equipment

(13) Sections 36" x 120" x 10' High (est) 3-Tier Heavy Duty Adjustable Pallet Rack

GSE 5000 Lb. Digital Counting Scale

Speedaire Fractional HP Portable Tank Mounted Reciprocating Air Compressor, Mounted on Horizontal Air Receiver Tank

(2) New Little Giant Heavy Duty Material Transport Carts w/ Manual Brakes

Electrical Supplies, Benchtop Router, Maple Benches, Electrified Assembly Benches, Banding Equipment, Pallet Jacks, MTD 10hp, 26" Gas Snow Thrower

Vehicles

2002 Chevrolet Model 3500 Single Axle Box Body Truck, Vortec 5700 V8 Engine

Office Furniture & Business Machines

Intertel Telephone System w/ Assorted Desktop Instruments, HP DesignJet 105CM Color Plotter, Xerox 2515 Blueprint Copier, Calcomp Techjet 5500 Color Plotter, HP Plotter w/ Neolt Manual Trimmer, (3) Dell PowerEdge Model 1300 Servers, Priors Model 5200 XL Server, Switch Gear, (22) Personal Computers, (13) Laptops, (16) Printers, Talley MT661 Printer, Minolta CS Pro Photocopier, (2) Ricoh Laser Printers, Fax Machine, Large Qty Good Condition Modular Furniture, Conference Tables and Chairs, Ricoh Aficio 2015 Copier/Printer/Fax, Cafeteria, Glass Walled Mirror Display Cabinets, Packaging Dispenser

Webcast & On-Site Auction

By Order of United States Bankruptcy Court
Eastern District of Michigan Southern Division



Complete Closure of 100,000 Sq Ft Plastic Injection Molding Facility

Date & Time:

1-Day Thursday, April 27, 2006
10:00am (local time)

Sale Location:

Laotto, IN USA

Equipment Preview Locations:

11654 E 400 S
Laotto, IN 46763 (Auction Site)

1155 E Whitcomb Ave
Madison Heights, MI 48071

Preview:

Wednesday, April 26th,
9:00am to 4:00pm both locations

Airports

Indiana Location (Auction Site):
FT Wayne, Indiana (FWA)

Michigan Location:
Detroit International (DET)

BRANFORD AUCTIONS

Do you know of surplus assets for sale, or a possible plant closure or consolidation? Our Branford Auction team wants to hear from you. We have developed a finder's fee program designed to generously compensate you for these types of leads. If you are interested in learning more or know of a potential opportunity, contact us at 203-488-7020

BRANFORD VALUATIONS

Branford Valuations is a trusted provider of reliable and accurate valuation and advisory services for the Plastic Injection Molding industry. Our experienced staff of accredited appraisers performs valuations that are tailored to support specific needs including lending decisions, tax reporting, asset management, and dispositions. To schedule an appraisal or receive a no obligation proposal, contact us at 203-488-7020.

Indiana Lic# 10600004: William Gardner

Auction Site Hotels

Holiday Inn Express
404 Touring Dr
Auburn, IN 46706
(260) 925-1900

Super 8
307 Touring Dr
Auburn, IN 46706
(260) 927-8800

La Qunita Inn
306 Touring Dr
Auburn, IN 46706
(260) 920-1900

Auction Team:



896 Main Street
Branford, CT 06405
203-488-7020

www.TheBranfordGroup.com

in conjunction with



Perfection Plant Liquidations, LLC
2550 Arthur Avenue
Elk Grove Village, IL 60007
Toll Free: 888-315-9246
www.pplauction.com

Directions To Indiana Location & Auction Site:

From Interstate 69 North Of Ft. Wayne At Auburn Indiana, Exit At Exit 126-County Road 11-A, Turn West Towards Garret For 0.3 Miles, To The Right Turn Towards Route 205 South, Continue Through One (1) Stop Sign And One (1) Traffic Light To The Second Stop Sign (A Total Of Approx. 6 Miles) At Laotto Turn Right For 0.3 Miles To The Plant On The Right.

Directions to Michigan Preview Location:

From the intersection of I-75 and 14 Mile Road, Follow 14 Mile Road East for 0.4 Miles to John R. Road, Turn Right on John R. Road for 0.5 Miles to East Whitcomb, Turn Left on East Whitcomb for 0.5 Miles to Plant on the Left.

Payments

- All Sales will be conducted in \$US Dollars
 - Deposit required Upon Registration
- Acceptable forms of payment:
- Cash, Certified Funds, Wire Transfer, Company Check with a Bank letter

Bidding Options

- Bid Live in Person On-Site at Sidler in Indiana
- Bid live via the webcast at www.thebranfordgroup.com
- Bid via proxy/absentee bid

Buyers Premium

- 10% For On-Site Bidders
- 13.5% For Webcast Bidders

WEBCAST BIDDING


BID LIVE FROM THE COMFORT OF YOUR OFFICE OR HOME. WEBCAST BIDDING TAKES PLACE IN REAL-TIME VIA THE INTERNET, FROM ANYWHERE IN THE WORLD. FOR DETAILED INSTRUCTIONS OR TO REGISTER, VISIT US AT:

www.TheBranfordGroup.com

YOU CAN PREVIEW THE ASSETS ONLINE IN A DETAILED LOT LISTING WITH PHOTOGRAPHS. ALL YOU NEED IS INTERNET ACCESS AND A TOUCH TONE TELEPHONE.



896 Main Street
Branford, CT 06405



FIRST CLASS MAIL

FORWARDING SERVICE REQUESTED

Webcast Auction



Date & Time:

1-Day Thursday, April 27, 2006 10:00am (local time)

Sale Location: Laotto, Indiana USA

Equipment Preview Locations:

11654 E 400 S, Laotto, IN 46763 (Auction Site)

1155 E Whitcomb Ave, Madison Heights, MI

Preview: Wednesday, April 26th, 9:00am to 4:00pm both locations

Webcast and On-Site Auction



Date & Time: 1-Day Thursday,
April 27, 2006 10:00am
(local time)

Auction Location:
Laotto, IN USA

Equipment Preview Locations:
Laotto, IN (Auction Site)
Madison Heights, MI 48071

Preview: Wednesday, April 26th,
9:00am to 4:00pm both locations



www.TheBranfordGroup.com